# AP&G Co., Inc.

---- MANUFACTURER OF SPECIALTY ADHESIVE PRODUCTS

170 - 53<sup>rd</sup> Street, Brooklyn, New York 11232 - USA Tel: (718) 492-3648 / Fax: (718) 439-0039 Out of State: (800) 458-7454 E-Mail: <u>catchmaster@att.ict</u>

# MATERIAL SAFETY DATA SHEET MSDS-96-4 December 15, 2004 PAGE 1 CATCHMASTER - PEST CONTROL

MODEL NO.	PRODUCT DESCRIPTION
72MB-CHOCOLATE	SUPER MOUSE SIZE GLUE BOARDS
72MB-CHERRY	SUPER MOUSE SIZE GLUE BOARDS
72MB-PEANUT BUTTER	SUPER MOUSE SIZE GLUE BOARDS
72MB	REGULAR MOUSE SIZE GLUE BOARDS
72 PBM	MOUSE SIZE GLUE BOARDS - MOLASSES
72MB4.5	MOUSE SIZE GLUE BOARDS
72MBGL	MOUSE SIZE GLUE BOARDS
72 <b>T</b> C	MOUSE & INSECT GLUE BOARD
72 <b>T</b> B	TASTY BANANA MOUSE SIZE GLUE BOARDS
150MBGL	MOUSE & INSECT SIZE GLUE BOARDS
60RBGL	ECONO RAT GLUE BOARDS
24GRB	RAT SIZE GLUE BOARDS
48 R	RAT SIZE GLUE TRAY (With Hercules Putty)
48RNHP	RAT SIZE GLUE TRAY (W/O Hercules Putty)
48RB	RAT SIZE GLUE TRAY (BULK)
48ROOF	RAT SIZE GLUE TRAP
48WRG	WALK-IN REFRIGERATOR GLUE TRAY
96M	MOUSE SIZE GLUE TRAYS
100FF	FRUIT FLY TRAP
1001	INSECT TRAP & MONITOR
15 ORI	ROACH & INSECT TRAP & MONITOR
2881	INSECT TRAP & MONITOR
812B	FOOD & PANTRY MOTH GLUE TRAP
91'S10	FLY GLUE STRING (1000 Feet)
91'S15	FLY GLUE STRING (1500 Feet)
912	MINI GOLD STICK
915	FLY & WASP CATCHER
962	LARGE GOLD STICK
930	SPIDER WEB™FLY GLUE TRAP
935	<i>EQUESTRIAN™</i> FLY GLUE TRAP
902	GIANT FLY GLUE TRAP W/ SEX ATTRACTANT
948	FLY GLUE TRAP W/ SEX ATTRACTANT
924	FLY GLUE TRAP FOR 901 FLY LIGHT UNIT
925	FLY GLUE TRAP FOR 911 FLY LIGHT UNIT
BG-1-84	BULK GLUE EASYSPREAD - 1 GALLON
BG-5-84	BULK GLUE EASYSPREAD - 5 GALLON

# AP&G Co., Inc.

--- MANUPACTURER OF SPECIALTY ADHESIVE PRODUCTS

170 - 53<sup>rd</sup> Street, Brooklyn, New York 11232 - USA Tel: (718) 492-3648 / Fax: (718) 439-0039 Out of State: (800) 458-7454 E-Mail: <u>catchmaster@att.net</u>

## MATERIAL SAFETY DATA SHEET

MSDS-96-4

December 15, 2004

PAGE 2

CATCHMASTER - PEST CONTROL

## PRODUCT IDENTIFICATION AND COMPOSITION

CATCHMASTER insect and/or rodent traps function by means of a permanently tacky polymeric coating.

These coatings contain the same group of resins coated on plastic trays or paper cardboard. However, the percentage of each component varies for each formula. Therefore, the following data apply to each of the following items marketed under the made mark names of CATCHMASTER, GLUEE LOUEE, and DEAD END.

#### INGREDIENTS

The specific chemical identities of the ingredients of this mixture are considered by Atlantic Paste & Glue Co., Inc. to be Trade Secrets and are withheld in accordance with the provisions of 1910.1200 of Title 29 of the Code of Federal Regulations.

#### HAZARDOUS COMPONENTS

OSHA has established no permissible exposure limits for this blend of polymers. However, no significant health and safety hazard is expected since individual components of blend have good health and safety profile.

# PHYSICAL CHARACTERISTICS

Softening point: 50 - 70C. Boiling point: N/A. Volatile: N/A. Water Solubility: Negligible. Specific gravity: Greater than 0.80.

# VAPOR PRESSURE, COLOR-ODOR-APPEARANCE

At 20C. Negligible. Appearance: Light straw color tacky coating. Fragrance - Cherry, Peanut Butter, Chocolate or without fragrance.

#### FIRE & EXPLOSION HAZARD

The Catchmaster glue tray is combustible in the same manner as paper.

Flash point of adhesive glue is higher than 200 F. LEL -N/A, UEL -N/A.

N.F.P.A. Rating:

Health -

0. (Hazard very slight)

Fire

1. (Hazard slight)

Reactivity -

0. (Hazard Very slight)

#### FIRE FIGHTING

Use carbon dioxide or dry chemical to extinguish fires. Wear self-contained, positive pressure breathing apparatus and full fire fighting protective clothing. Handle like an oil fire.

# AP&G Co., Inc.

--- MANUFACTURER OF SPECIALTY ADHESIVE PRODUCTS

170 - 53<sup>rd</sup> Street, Brooklyn, New York 11232 - USA Tel: (718) 492-3648 / Fax: (718) 439-0039 Out of State: (800) 458-7-154 E-Mail: catchmaster@att.net

# MATERIAL SAFETY DATA SHEET

MSDS-96-4

December 15, 2004

PAGE 3

# CATCHMASTER - PEST CONTROL

#### REACTIVITY

Stability: Stable. Conditions to avoid: Do not combine with strong oxidizing agents. Polymerization: Will not occur. Hazardous Decomposition products: None other than ordinary products of combustion.

### **HEALTH HAZARDS**

Accidental eye contact is very unlikely since product's active component is a nonflowing, pressure sensitive adhesive. It is a chemically and environmentally stable adhesive. Nevertheless, eye contact should be avoided, and if it does occur then a physician should be consulted immediately.

#### FIRST AID PROCEDURES

Skin Contact: Remove from skin with a mild hydrocarbon solvent such, as mineral spirits (paint thinner). Then further clean skin with soap and water. Alternate method: Hand or body lotion or creme will also safely remove the adhesive from skin or other surfaces.

Eye Contact: Call a physician immediately if eye contact is accidentally made.

#### CARCINOGENICITY LISTINGS: None

#### SAFE HANDLING & USE

Spill or leak procedure: Remove sources of ignition. Sweep up debris and place in waste disposal container. Waste disposal: Disposal must be made in accordance with applicable governmental regulations.

The information contained in this Material Safety Data Sheet is based on the best available data. Normal pludence and caution need to be employed in product use.

Notice: All above products are Pest Control <u>Devices</u>, and <u>not</u> Pesticides under U.S.A. - E.P.A. Regulations; and therefore a re labeled <u>only</u> with our EPA Establishment No. 48377-N.Y.-1.